

SCHEDULE OF ACCREDITATION

Testing Laboratory Number: LAS-002

Permanent Address of Laboratory:

Angostura Limited

Corner Eastern Main Road & Trinity Avenue Laventille

Trinidad and Tobago. W.I.

Postal Address

Corner Eastern Main Road & Trinity Avenue Laventille

Trinidad and Tobago. W.I.

Tel: 868-623-1841

Fax: 868-623-1847/624-8531 e-mail: cghomer@angostura.com

Management Signatories:

Carol Homer-Caesar

Technical Signatories:

Marlon Assue Malika Crichton

Nominated Representative:

Carol Homer-Caesar

Certificate of Accreditation

Issue No. : 6

Date of issue : 30th June 2016

Materials/Products Tested	Types of Tests/Properties Measured, Range of Measurement	Standard Specifications, Equipment/Techniques Used
CHEMICAL		
Alcoholic beverages – Rum, bitters, flavoured alcoholic products, wines, carbonated	Determination of ethanol content (%) by Macro Distillation method using OIML system	Reference – AOAC 18 th Ed. 26.1.08 & 26.2.04 (Alcohol by volume in Distilled Liquors – Hydrometer method)
beverages		Method No. LA-TM-DIST-01
Alcoholic beverages – Rum, bitters, flavoured alcoholic products, wines, carbonated beverages	Determination of ethanol content (%) by Micro Distillation using Dee Distillation and Density Meter Analyser	Reference – DMA 4500/5000 Manual; Dee Distillation – Instruction Manual 60.50.131 5 th issue
		Method No. LA-TM-DEE-01 and
		LA-TM-DMA-01
Alcoholic beverages – Rum, bitters, flavoured alcoholic products, wines, carbonated beverages	Determination of Total Solids by Evaporation method	Reference – AOAC 18 th Ed. 33.2.09
	Units: g/100 mL, g/L	Method No. LA-TM-TS-01
Alcoholic beverages – Rum, bitters, flavoured alcoholic products, wines, carbonated beverages	Determination of Total Acids by Titrimetric method	Reference – AOAC 18 th Ed. Official method 945.08 (Part A)
	Units: mg/100 mL	Method No. LA-TM-TITR-03

Alcoholic beverages – Rum, bitters, flavoured alcoholic products, wines,	5) Determination of Fixed Acids by Titrimetric method Units: mg/100 mL	Reference – AOAC 18 th Ed. Official Method 945.08 (Part B) Method No. LA-TM-TITR-04
carbonated beverages	omics. mg/100 mz	Mediod No. EA Thi TTT 04
Alcoholic beverages –	6) Determination of pH	Reference – AOAC 18th Ed.
Rum, bitters, flavoured		10.041
alcoholic products, wines, carbonated beverages		Method No. LA-TM-pH-01ML
-		•
Alcoholic beverages – Rum, bitters, flavoured	7) Determination of pH	Reference – AOAC 18 th Ed.
alcoholic products, wines,		973.41
carbonated beverages		Method No. LA-TM-pH-03DL
Alcoholic beverages – Rum, bitters, flavoured alcoholic products, wines, carbonated beverages	8) Determination of Acetaldehyde, Methanol, Acetone, Methyl acetate, Ethyl format, Ethyl acetate, <i>n</i> -Propanol, <i>s</i> -Butanol, <i>iso</i> -Butanol, <i>n</i> -Butanol, Acetal, active Amyl alcohol, <i>iso</i> -Amyl alcohol, <i>n</i> -Amyl alcohol and Furfuraldehyde by Gas	All 15 components are analysed as one run by Gas Chromatography using Flame Ionisation detection.
		Ref: Bacardi Method– BAP #275F – Agilent Technologies 6890N Operator's Manual
	Chromatography	Method No. LA-TM-CON-02ML
	Units: mg/100 mL	
	Range: 0.6 – 5,000 mg/100 mL Esters (Methyl acetate, Ethyl formate and Ethyl acetate)	
	Range: 0.2 – 18,500 mg/100 mL Fusel oils (High boiling point alcohols)	
Alcoholic beverages – Rum, bitters, flavoured alcoholic products, wines, carbonated beverages	9) Determination of Acetaldehyde, Methanol, Acetone, Methyl acetate, Ethyl format, Ethyl acetate, <i>n</i> -Propanol, s-Butanol, <i>iso</i> -Butanol, <i>n</i> -Butanol, Acetal, active Amyl alcohol, <i>iso</i> -Amyl alcohol, <i>n</i> -Amyl alcohol and Furfuraldehyde by Gas	All 15 components are analysed as one run by Gas Chromatography using Flame Ionisation detection.
		Ref: Bacardi Method- BAP #275F;Hewlett Packard 5890 series II & 5890A Operator's Manual
	Chromatography	Method No. LA-IR-TM-CON-GC-02DL
	Units: mg/100 mL	
	Range: 0.6 – 5,000 mg/100 mL Esters (Methyl acetate, Ethyl formate and Ethyl acetate)	
	Range: 0.2 – 18,500 mg/100 mL Fusel oils (High boiling point alcohols)	
Metal Ions in Solution – aqueous solution by	10) Determination of:Iron: 0.003 – 3500 ppm	Reference - Perkin Elmer Optima 2100 DV Online Operator's Manual
inductively coupled plasma-atomic emission	 Magnesium: 0.002 - 3.500 ppm 	Method No. LA-TM-IONS-02ML
spectroscopy (ICP-OES	• Copper: 0.009 – 3.500 ppm	
Spectroscopy)	 Potassium: 0.023 – 3.500 ppm 	
	• Sodium: 0.030 – 3.500 ppm	
	• Calcium: 0.017 – 3.500 ppm	

Metal Ions in Solution – alcoholic solution (wine and distilled spirits) by inductively coupled plasma-atomic emission spectroscopy (ICP-OES Spectroscopy)	Determination of: Calcium: 0.010 – 6.000 ppm Magnesium: 0.003 – 6.000 ppm Potassium: 0.004 – 6.000 ppm Copper: 0.003 – 6.000 ppm Iron: 0.026 – 6.000 ppm Sodium: 0.024 – 6.000 ppm	Reference - Perkin Elmer Optima 2100 DV Online Operator's Manual Method No. LA-TM-IONS-02ML
Alcoholic beverages – Rum, bitters, flavoured alcoholic products, wines, carbonated beverages	11) Determination of ethanol content (%) by Alcolyzer (Near Infra-Red technology)	Reference – Instruction Manual Alcolyzer M Beer/Spirits/Wine/Sake Method No. LA-TM-LYZR-01
Water, Wastewater	12) Determination of Chemical Oxygen Demand Range: 25 -1000mg/L	Reference - HACH Company TNTplus Mercury Free, Chemical Oxygen Demand Method No. LA-TM-COD-01ENV
Water, Wastewater	13) Determination of Total Phosphates in Liquid Effluent Range: 0.05 – 3.0 mg/L	Reference - Standard Method for the Examination of Water and Wastewater 21st Ed. 4500-P D Method No. LA-TM-PHOS-01ENV
Water, Wastewater	14) Determination of Ammoniacal Nitrogen in Liquid Effluent Range: 5 -100 mg/L	Reference - Standard Method for the Examination of Water and Wastewater 21st Ed. 4500-NH3 B C Method No. LA-TM-TITR-01ENV
Water, Wastewater	15) Determination of pH (Modified In-house Method)	Reference: Standard Method for the Examination of Water and Wastewater 21st Ed. 4500-H+ B. (Electrometric method); YSI Professional Plus User Manual Method No: LA-TM-pH-01ENV

Date of accreditation: 1st November, 2007

Manager, TTLABS